

United Air Specialists, Inc.

a CLARCOR company

BDC SERIES



Model BDC

A COMPACT, MAINTENANCE-FRIENDLY AND COST-EFFECTIVE Dust Collector The BDC dust collector is a compact, self-cleaning, continuous-duty system that economically meets the needs of most every industrial dust collection application. This advanced system utilizes a pulse-jet cleaning system that effectively "pulses-off" the captured dust and cleans the filter while the system stays on-line. With minimal pressure drop, the BDC's many filter media options maintain 99.9%+ filtration efficiency.

The BDC Series provides superior design and performance with advanced, maintenance-friendly features. Its heavy-duty, rugged construction and factory-assembled sections ensure quick installation and years of dependable performance.

SOLUTIONS FOR MANY DIFFERENT APPLICATIONS

With its versatile construction and multiple media filter options, the BDC can meet virtually any manufacturing dust collection application including:

- Food Processing
- Woodworking
- Molding, Grinding & Polishing
- Rock, Stone & Glass Operations
- Secondary Smelting
- Pharmaceutical
- Metalworking
- And More

BDC 22 Available in Stainless Steel Construction



MAINTENANCE-FRIENDLY

Designed with end users in mind, the BDC collector is engineered for fast, tool-free, safe maintenance and filter change-out. Instead of systems

that require workers to crawl inside the unit (a practice that is time consuming, dirty and dangerous), the BDC's filters can be removed quickly by unlocking the cam bar and simply sliding the filter trays out. This ensures worker safety and greatly reduces necessary service time. Also, the

BDC provides online

continuous cleaning,

so it requires little

maintenance.







ENERGY EFFICIENT

The BDC's advanced design ensures low pressure drop resulting in reduced blower horsepower requirements and improved energy savings. Its low compressed air requirements and optional safety after-filter allows recirculation, eliminating the need for costly make-up air.

COMPACT DESIGN

Ideal for low headroom applications, the BDC's compact design greatly reduces the amount of valuable floor space while providing up to 1,640 sq. ft. of media at 99.9%+ filtration efficiency. And because the system is so compact and can be specified with one of multiple discharge designs such as a hopper, dust drawer or bin vent, placement within your factory or outside your facility is easily accomplished!

CONFIGURED TO MEET YOUR SPECIFIC NEEDS

The BDC is designed with multiple filter options so that it can effectively capture airborne pollutants for virtually any dust collection application. To ensure proper media filtration for your application, the BDC can be ordered with Cartridges, Felted Bags or Spun-Bond Pleated Bags. A UAS Representative can help you select the right filter option that meets your requirement.



www.uasinc.com

ADDITIONAL FEATURES AND BENEFITS

Springless Pulse Valves:

Provides durable performance with long-lasting durability.

Custom Air Inlet/Outlet Locations:

Location of inlet and outlet can be specified to meet installation requirements.

Powder-Coated Finish:

All components have electrostatically applied paint that helps prevent fading and chalking.

Heavy-Duty Supports:

Designed and manufactured to meet seismic zone 4 and 100 mph wind load structural rating.

Quick and Easy Filter Service:

CLEAN AIR

Quick, tool-free filter removal from outside the unit.

Multiple Filter Options:

Ensures proper filter type and media selection for your specific requirements.

Multiple Discharge Options:

Allows for convenient dust disposal that matches your plant requirements.



BDC-21 with Hopper



FILTERS

The advanced BDC collector offers the largest selection of high filtration media filters for applications with even the most demanding requirements. The BDC system has been designed so that it can easily be configured to meet your specific needs utilizing four basic filter options listed below:

10" CARTRIDGE

Durable filter designed to ensure minimal installation time with high filtration. Available as standard with a non-woven, proprietary material blend with molded end caps that helps resist abrasive wear. Other cartridge materials are available for unique applications such as: fire



retardant, wide pleat, washable, high-strength (Spun-Bond) quick release media, PTFE, high temperature and graphite impregnated.

6" PLEATED BAGS

The superior performance bag filter for applications up to 265° F. Features 100% spun-bond media and durable molded urethane top and bottom end caps to ensure long life and energy savings. Multiple material options include: oil/water repellent finish, PTFE membrane bonded to spun-bond and conductive impregnation.

6" FELTED BAGS

An economical, 16-oz. felted bag filter which offers durability and high-filtration efficiency. Designed as standard for 275° F temperature applications, these filters can also be ordered for high temperature needs (up to 500° F) and with a wide variety of finishes including: napped, singed, glazed, silicone treated, fire retardant, Teflon, acid resistant, chemical resistant and silicone/graphite impregnated.



2" FELTED BAGS

More effective than 6" felted bags, these 16-oz. polyester media filters provide high-filtration efficiency designed for 275° F maximum temperature applications. Available with same options and



finishes as 6"	
felted bags	

		Filter Media	a (Sq. Ft.)		Filter Quantity				
Unit	10" Cartridge	6" Pleated Bag	6" Felted Bag	2" Felted Bag	10" Cartridge	6" Pleated Bag	6" Felted Bag	2" Felted Bag	
BDC-11	410	166	23	55	4	9	9	64	
BDC-12	820	331	46	109	8	18	18	128	
BDC-13	820	331	46	109	8	18	18	128	
BDC-14	N/A	662	92	219	N/A	36	36	256	
BDC-21	820	331	46	109	4	9	9	64	
BDC-22	1640	662	92	219	8	18	18	128	
BDC-23	1640	662	92	219	8	18	18	128	
BDC-24	N/A	1325	185	439	N/A	36	36	256	

www.uasinc.com

OPTIONS AND ACCESSORIES

UAS provides a comprehensive selection of options

and accessories to enhance the performance of your BDC dust collection system. Some of these include:

• Return Air Safety Filters – Used when air is recirculated into the plant or when collecting hazardous dusts, ensuring that clean air is continuously discharged from the unit.




 Pressure Relief Panel – Minimizes damage and provides a degree

Pressure Relief Panel

of personal protection in the unlikely event of an explosion that may result when collecting explosive dusts.

• Silencer Package – Duct-type silencer reduces unit noise levels. (80 dBA as specified)



- Fully Welded Cabinets Provide a complete air-tight seal to meet unique specifications.
- Digital Pressure and Pulse Control Panel -

Continually monitors operation and displays status while providing multiple pre-determined user cleaning modes.



Digital Pressure and Pulse Control Panel

Additional Options / Accessories


- Stainless Steel Construction (304/316, 2B Finish)
- Fans/Integral Blowers
- Leg Extensions
- Drum Lid Kits
- Drum Lid Latch Kits
- Photohelic[®] Gage Controls
- Hopper Access Doors
- Sprinkler Couplings
- Thermal Protection Kits
- Ground-Mount Blowers
- Control Panels
- Other options and accessories available. Contact UAS for assistance.



DIMENSIONS AND SPECIFICATIONS UNIT DIMENSIONS

Ĥ






W

									Compressed Air		
Model		Height							Unit	Consumption	
	Unit	45° ⊦	lopper	60° H	opper	Dust	Width	Depth	Weight*	SCF	SCFM
	(Bin Vent)	55-gal.	30-gal.	55-gal.	30-gal.	Drawer			(lbs.)	1 Pulse	6 Pulses/Min.
BDC-11	47"	104.5"	88.5"	113"	97"	61"	35"	35"	523	0.8	4.8
BDC-12	47"	104.5"	88.5"	113"	97"	N/A	67"	35"	891	1	5.8
BDC-13	47"	104.5"	88.5"	113'	97"	N/A	35"	67"	891	1	5.8
BDC-14	47"	120"	104"	140"	124"	N/A	67"	67"	1347	1.2	7.2
BDC-21	66.5"	124"	108"	132"	116"	80"	35"	35"	657	0.8	4.8
BDC-22	66.5"	124"	108"	132"	116"	N/A	67"	35"	1089	1	5.8
BDC-23	66.5"	124"	108"	132"	116"	N/A	35"	67"	1089	1	5.8
BDC-24	66.5"	139.5"	123.5"	159"	143"	N/A	67"	67"	1593	1.2	7.2

* Cabinet weights do not include discharge options.

DISCHARGE OPTION DIMENSIONS



Dust Drawer



Hopper with 5 gal. Pail (Same Height as 30 gal. Drum)



Hopper with 30 gal. Drum



Hopper with 55 gal. Drum

www.uasinc.com

WHY CHOOSE UNITED AIR SPECIALISTS?

A world-renowned reputation. For 40 years, we've been the industry leader in air quality technology — a proven track record that speaks for itself.

Commitment to quality products. Measuring our quality against documented expectations, we practice continuous improvement methods to anticipate challenges and implement successful solutions.

Unparalleled customer support. As a customer-driven solutions provider, we earn credibility and establish successful relationships by exceeding expectations for professional service and attitude.

Innovative technical leadership. Always, we keep technology at the forefront — ensuring continuous product advancements through ongoing investments in design and manufacturing.

UAS HEADQUARTERS – USA 4440 Creek Road Cincinnati, Ohio 45242 1-800-252-4647 www.uasinc.com

UAS – GERMANY Otto-Hahn-Strasse 6 D-65520 Bad Camberg Ph: +49-6434-94220 E-mail: info@uas-inc.de UAS – UNITED KINGDOM PO Box 17 Folly Lane Warrington, Cheshire England WA5 0NP Ph: +44-1925-654321 E-mail: post@clarcoruk.com UAS – ASIA Flat 1, 15/F, Block 1 Grand Pacific Views, Palatial Coast Siu Lam, Tuen Mun New Territories, Hong Kong Ph: +852-2814-7722 E-mail: dlee@clarcor.com

